This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Tetraglycinyl linker

HN


$$c = c$$
 $c + c$
 c

Figure 1

meta-EthD


$$NH_{2} \longrightarrow NH_{2} \longrightarrow N$$


Figure 2



A = Energy Acceptor

D = Energy Donor









Figure 3

Target Sequence

——GCGACCTGCGAATGCTATGGATCAGGCTAGCCA ———
CGCTGGACGCTTACGATACCTAGTCCGATCGGT ———






Figure 4

(A) PCR

(B) SDA


(C) GAP-LCR


A = Energy Acceptor


Figure 5

D = Energy Donor










(B) Probe with 2nd element



(B) Intercalators with 2nd element




Figure 6




Figure 7





Figure 8

$$O_2N$$
 O_2N
 O_2N
 O_2N
 O_2N
 O_2N
 O_2N
 O_2N
 O_2N
 O_3N
 O_4N
 O_4N
 O_5N
 O_5N
 O_5N
 O_6N
 O_7N
 O_7N

Figure 9



Illumination at 472 nM Figure 10




Figure 11

HIV Anti-sense Amplicon

Forward Primer

catgatccgg atgggaggtg

Hybridization Probe

taatggtg agtatccctg cctaactct

catgatccgg atgggaggtg ggtctgaaac gataatggtg agtatccctg cctaactcta ttcactatcc ggatgtgc gtactaggcc taccctccac ccagactttg ctattaccac tcatagggac ggattgagat aagtgatagg cctacacg ggattgagat aagtgatagg cctacacg agat aagtgatagg cctacacg Reverse Primer

Figure 12

A) Binding of CNAC to poly A tail poly A tail **mRNA** UUUUUUUUTTTTQQQQQQQQQ CNAC U = Uridine (ribonucleotide) T = Thymidine (deoxyribonucleotide) B) elimination of poly A segment by RNase H Q = Inosine (ribonucleotide) RNase H **mRNA -**AAAAAAAAAAAA-3' υυυυυυυυττττορορορορο CNAC C) Incorporation of primer binding site by template Rerverse dependent extension of analyte Transcriptase **mRNA** AAAAAAAAAAAAAAAAACCCCCCC-3° UUUUUUUUTTTTQQQQQQQQ CNAC D) Removal of CNAC and binding of primer with promoter sequence **mRNA** GGGGGGG-promoter-5' AAAAAAAAAAAAAAAAACCCCCCCC-3'

Figure 13

Figure 15